

**Custom Mix Chicken Feed
MEDICATED**

Active Drug Ingredient: LASALOCID

**This feed contains ____ grams per ton of
LASALOCID.**

(Grams/ton divided by 2 is equivalent to
milligrams per pound)

68-113 g/ton (0.0075-0.0125%) Limitations for use: Feed continuously as sole ration.	Chickens (broilers and fryers) For the prevention of coccidiosis caused by <i>Eimeria tenella</i> , <i>Eimeria necatrix</i> , <i>Eimeria acervulina</i> , <i>Eimeria brunetti</i> , <i>Eimeria mivati</i> and <i>Eimeria maxima</i> .
---	--

WARNING: For broiler or fryer chickens only.
**CAUTION: The safety of Lasalocid for use in
unapproved species has not been established. Do
not allow horses or other equines access to feed
containing Lasalocid as ingestion may be fatal.**

UK Regulatory Services – 01/17

**Custom Mix Chicken Feed
MEDICATED**

Active Drug Ingredient: LASALOCID

**This feed contains ____ grams per ton of
LASALOCID.**

(Grams/ton divided by 2 is equivalent to
milligrams per pound)

68-113 g/ton (0.0075-0.0125%) Limitations for use: Feed continuously as sole ration.	Chickens (broilers and fryers) For the prevention of coccidiosis caused by <i>Eimeria tenella</i> , <i>Eimeria necatrix</i> , <i>Eimeria acervulina</i> , <i>Eimeria brunetti</i> , <i>Eimeria mivati</i> and <i>Eimeria maxima</i> .
---	--

WARNING: For broiler or fryer chickens only.
**CAUTION: The safety of Lasalocid for use in
unapproved species has not been established. Do
not allow horses or other equines access to feed
containing Lasalocid as ingestion may be fatal.**

UK Regulatory Services – 01/17

**Custom Mix Chicken Feed
MEDICATED**

Active Drug Ingredient: LASALOCID

**This feed contains ____ grams per ton of
LASALOCID.**

(Grams/ton divided by 2 is equivalent to
milligrams per pound)

68-113 g/ton (0.0075-0.0125%) Limitations for use: Feed continuously as sole ration.	Chickens (broilers and fryers) For the prevention of coccidiosis caused by <i>Eimeria tenella</i> , <i>Eimeria necatrix</i> , <i>Eimeria acervulina</i> , <i>Eimeria brunetti</i> , <i>Eimeria mivati</i> and <i>Eimeria maxima</i> .
---	--

WARNING: For broiler or fryer chickens only.
**CAUTION: The safety of Lasalocid for use in
unapproved species has not been established. Do
not allow horses or other equines access to feed
containing Lasalocid as ingestion may be fatal.**

UK Regulatory Services – 01/17

**Custom Mix Chicken Feed
MEDICATED**

Active Drug Ingredient: LASALOCID

**This feed contains ____ grams per ton of
LASALOCID.**

(Grams/ton divided by 2 is equivalent to
milligrams per pound)

68-113 g/ton (0.0075-0.0125%) Limitations for use: Feed continuously as sole ration.	Chickens (broilers and fryers) For the prevention of coccidiosis caused by <i>Eimeria tenella</i> , <i>Eimeria necatrix</i> , <i>Eimeria acervulina</i> , <i>Eimeria brunetti</i> , <i>Eimeria mivati</i> and <i>Eimeria maxima</i> .
---	--

WARNING: For broiler or fryer chickens only.
**CAUTION: The safety of Lasalocid for use in
unapproved species has not been established. Do
not allow horses or other equines access to feed
containing Lasalocid as ingestion may be fatal.**

UK Regulatory Services – 01/17