

**Custom Mix Rabbit Feed  
MEDICATED**

**Active Drug Ingredient: LASALOCID**

**This feed contains 113 grams per ton (0.0125%) of Lasalocid.**

Use Level	Indications for Use
<b>113 g/ton. (0.0125%)</b>	For the prevention of coccidiosis caused by <i>Eimeria stiedae</i> . <b>Limitations for use: Feed continuously as sole ration up to 6.5 weeks of age.</b>

**WARNING:** For rabbits (up to 6.5 weeks of age) only.

**CAUTION:** The safety of Lasalocid for use in unapproved species has not been established. Do not allow horses or other equines access to feed containing Lasalocid as ingestion may be fatal.

UK Regulatory Services – 01/17

**Custom Mix Rabbit Feed  
MEDICATED**

**Active Drug Ingredient: LASALOCID**

**This feed contains 113 grams per ton (0.0125%) of Lasalocid.**

Use Level	Indications for Use
<b>113 g/ton. (0.0125%)</b>	For the prevention of coccidiosis caused by <i>Eimeria stiedae</i> . <b>Limitations for use: Feed continuously as sole ration up to 6.5 weeks of age.</b>

**WARNING:** For rabbits (up to 6.5 weeks of age) only.

**CAUTION:** The safety of Lasalocid for use in unapproved species has not been established. Do not allow horses or other equines access to feed containing Lasalocid as ingestion may be fatal.

UK Regulatory Services – 01/17

**Custom Mix Rabbit Feed  
MEDICATED**

**Active Drug Ingredient: LASALOCID**

**This feed contains 113 grams per ton (0.0125%) of Lasalocid.**

Use Level	Indications for Use
<b>113 g/ton. (0.0125%)</b>	For the prevention of coccidiosis caused by <i>Eimeria stiedae</i> . <b>Limitations for use: Feed continuously as sole ration up to 6.5 weeks of age.</b>

**WARNING:** For rabbits (up to 6.5 weeks of age) only.

**CAUTION:** The safety of Lasalocid for use in unapproved species has not been established. Do not allow horses or other equines access to feed containing Lasalocid as ingestion may be fatal.

UK Regulatory Services – 01/17

**Custom Mix Rabbit Feed  
MEDICATED**

**Active Drug Ingredient: LASALOCID**

**This feed contains 113 grams per ton (0.0125%) of Lasalocid.**

Use Level	Indications for Use
<b>113 g/ton. (0.0125%)</b>	For the prevention of coccidiosis caused by <i>Eimeria stiedae</i> . <b>Limitations for use: Feed continuously as sole ration up to 6.5 weeks of age.</b>

**WARNING:** For rabbits (up to 6.5 weeks of age) only.

**CAUTION:** The safety of Lasalocid for use in unapproved species has not been established. Do not allow horses or other equines access to feed containing Lasalocid as ingestion may be fatal.

UK Regulatory Services – 01/17

**Custom Mix Rabbit Feed  
MEDICATED**

**Active Drug Ingredient: LASALOCID**

**This feed contains 113 grams per ton (0.0125%) of Lasalocid.**

Use Level	Indications for Use
<b>113 g/ton. (0.0125%)</b>	For the prevention of coccidiosis caused by <i>Eimeria stiedae</i> . <b>Limitations for use: Feed continuously as sole ration up to 6.5 weeks of age.</b>

**WARNING:** For rabbits (up to 6.5 weeks of age) only.

**CAUTION:** The safety of Lasalocid for use in unapproved species has not been established. Do not allow horses or other equines access to feed containing Lasalocid as ingestion may be fatal.

UK Regulatory Services – 01/17

**Custom Mix Rabbit Feed  
MEDICATED**

**Active Drug Ingredient: LASALOCID**

**This feed contains 113 grams per ton (0.0125%) of Lasalocid.**

Use Level	Indications for Use
<b>113 g/ton. (0.0125%)</b>	For the prevention of coccidiosis caused by <i>Eimeria stiedae</i> . <b>Limitations for use: Feed continuously as sole ration up to 6.5 weeks of age.</b>

**WARNING:** For rabbits (up to 6.5 weeks of age) only.

**CAUTION:** The safety of Lasalocid for use in unapproved species has not been established. Do not allow horses or other equines access to feed containing Lasalocid as ingestion may be fatal.

UK Regulatory Services – 01/17