

Agricultural Limestone Tested

Fall 2022

1/19/2023
 Page 1 of 17

Results are based on dry weight of material. Moisture content when sampled has no effect on lab results. If ag lime is wet when applied (>7% moisture), application rate should be increased by 0.5 tons/acre.

County: Adair	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
Gaddie Shamrock LLC/Williams Quarry								
Hwy 55 S			<u>Ag Lime</u>					
Columbia, KY 42728	9/14/2022	10/6/2022	91.8	98.2	40.9	30.1	4.9	63.8
License ID: 10619	Sample Number: LM-22-539							
Burton Stone								
897 Fairplay Rd			<u>Ag Lime</u>					
Columbia, KY 42728	9/12/2022	10/6/2022	85.8	96.7	41.6	25.2	6.4	59.3
License ID: 14577	Sample Number: LM-22-536							
County: Allen	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
Allen County Stone								
2438 Old State Rd E			<u>Ag Lime</u>					
Scottsville, KY 42164	9/7/2022	9/22/2022	94.0	99.5	47.1	38.4	0.8	68.9
License ID: 10702	Sample Number: LM-22-526							
County: Anderson	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
Hanson Aggregates Midwest LLC/Tyrone Quarry								
1645 Tyrone Rd			<u>Ag Lime</u>					
Lawrenceburg, KY 40342	9/12/2022	10/10/2022	96.7	93.4	42.4	28.2	7.0	65.7
License ID: 10685	Sample Number: LM-22-548							
County: Ballard	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
Bandana Ag, Inc.								
100 Needmore Rd			<u>Ag Lime</u>					
La Center, KY 42056	8/22/2022	9/22/2022	98.2	90.4	45.3	41.3	0.3	66.6
License ID: 10643	Sample Number: LM-22-512							
Sullivan Lime & Backhoe Service, LLC								
498 W. Kentucky Drive			<u>Ag Lime</u>					
La Center, KY 42056	8/22/2022	9/22/2022	98.1	95.1	44.5	42.2	0.3	68.5
License ID: 10675	Sample Number: LM-22-513							

Agricultural Limestone Tested

Fall 2022

1/19/2023

Page 2 of 17

Results are based on dry weight of material. Moisture content when sampled has no effect on lab results. If ag lime is wet when applied (>7% moisture), application rate should be increased by 0.5 tons/acre.

County: Barren	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
Glass Aggregates								
791 Love Knob Rd								
Glasgow, KY 42141								
License ID: 10700	No Data							
Scotty's Contracting and Stone								
<u>Ag Lime</u>								
1140 Flint Knob Rd								
Cave City, KY 42127	8/10/2022	9/8/2022	94.6	97.7	43.5	36.5	1.4	66.8
License ID: 10701	Sample Number: LM-22-504							
Park City Stone, LLC								
<u>Ag Lime</u>								
454 State Quarry Rd								
Cave City, KY 42127	8/4/2022	9/8/2022	96.9	84.2	36.4	37.0	1.7	58.4
License ID: 35078	Sample Number: LM-22-502							
County: Bourbon	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
Bourbon Limestone								
2470 Fords Mill Rd								
Paris, KY 40361	9/21/2022	10/19/2022	98.3	74.0	26.7	34.3	3.1	49.5
License ID: 10620	Sample Number: LM-22-556							
County: Boyle	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
Caldwell Stone Co, Inc								
<u>Ag Lime</u>								
1648 Stanford Rd								
Danville, KY 40422	9/19/2022	10/10/2022	89.4	95.0	68.7	34.9	1.6	73.2
License ID: 10627	Sample Number: LM-22-546							
County: Breckinridge	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
White Stone Company								
<u>Ag Lime</u>								
2281 Hwy 992								
Hardinsburg, KY 40143	9/26/2022	10/19/2022	79.8	94.7	48.1	29.8	1.8	57.0
License ID: 10614	Sample Number: LM-22-561							
Liters Quarry								
<u>Ag Lime</u>								
Hwy 477								
Irvington, KY 40146	9/27/2022	10/27/2022	95.2	91.4	35.3	33.0	3.4	60.3
License ID: 10680	Sample Number: LM-22-565							

Agricultural Limestone Tested

Fall 2022

1/19/2023
Page 3 of 17

Results are based on dry weight of material. Moisture content when sampled has no effect on lab results. If ag lime is wet when applied (>7% moisture), application rate should be increased by 0.5 tons/acre.

County: Bullitt	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
Quality Stone & Ready Mix, Inc								
3260 N Preston Hwy			<u>Ag Lime - bottom pile</u>					
Shepherdsville, KY 40165	9/21/2022	10/10/2022	92.9	100.0	96.8	22.2	10.5	91.4
License ID: 10596	Sample Number: LM-22-550							
Quality Stone & Ready Mix, Inc								
3260 N Preston Hwy			<u>Ag Lime - top pile</u>					
Shepherdsville, KY 40165	9/21/2022	10/10/2022	96.3	99.0	45.1	22.3	11.2	69.4
License ID: 10596	Sample Number: LM-22-551							
County: Butler	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
Bluegrass Materials CO LLC								
2615 Bowling Green Rd			<u>Ag Lime</u>					
Morgantown, KY 42261	9/13/2022	10/6/2022	95.7	85.2	43.8	33.4	3.2	61.7
License ID: 10646	Sample Number: LM-22-538							
RB Paving and Construction LLC								
683 W Basham Rd								
Morgantown, KY 42261								
License ID: 24232	no sample collected							
County: Caldwell	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
Rogers Group Quarry								
10234 Hopkinsville Rd			<u>Ag Lime</u>					
Princeton, KY 42445	9/23/2022	10/10/2022	94.7	91.5	39.6	36.2	1.6	62.1
License ID: 10683	Sample Number: LM-22-552							
Lafarge West Fredonia Quarry								
297 Fredonia Quarry Rd			<u>Ag Lime</u>					
Fredonia, KY 42411	9/23/2022	10/10/2022	97.8	96.2	64.2	38.3	1.1	78.4
License ID: 10703	Sample Number: LM-22-553							
County: Calloway	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
Furches Farms								
3182 SR 94 W			<u>Ag Lime</u>					
Murray, KY 42071	9/26/2022	10/19/2022	83.4	99.8	79.9	19.9	8.6	75.0
License ID: 09708	Sample Number: LM-22-558							

Agricultural Limestone Tested

Fall 2022

1/19/2023
Page 4 of 17

Results are based on dry weight of material. Moisture content when sampled has no effect on lab results. If ag lime is wet when applied (>7% moisture), application rate should be increased by 0.5 tons/acre.

County: Carter	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
Hanson Aggregates Midwest LLC/AA Limestone Inc								
14011 State Hwy 9			<u>Ag Lime</u>					
Grayson, KY 41143	9/14/2022	10/6/2022	72.3	93.8	41.6	29.3	0.2	49.0
License ID: 10705	Sample Number: LM-22-542							
County: Casey	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
Casey Stone Company								
15519 East KY 70			<u>Ag Lime</u>					
Bethelridge, KY 42516	9/6/2022	10/6/2022	94.4	93.6	25.7	35.0	2.4	56.3
License ID: 10654	Sample Number: LM-22-529							
County: Christian	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
Hopkinsville Aggregate Company								
355 Harry Berry Rd; US 41A			<u>Ag Lime</u>					
Hopkinsville, KY 42240	9/26/2022	10/19/2022	93.1	95.9	40.2	35.9	1.4	63.4
License ID: 10611	Sample Number: LM-22-559							
Apex Materials, LLC								
20215 N Greenville Rd								
White Plains, KY 42464								
License ID: 19875	no sample collected							
County: Clinton	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
Gaddie Shamrock LLC/Caldwell Quarry								
Hwy 1590			<u>Ag Lime</u>					
Albany, KY 42602	9/15/2022	10/6/2022	93.3	98.1	41.4	32.6	2.4	65.1
License ID: 10648	Sample Number: LM-22-540							
Albany Farms LLC/dba Albany Quarry								
292 Maple Mountain Rd			<u>Ag Lime</u>					
Albany, KY 42602	9/8/2022	10/6/2022	93.8	75.0	14.6	36.1	1.5	42.0
License ID: 31513	Sample Number: LM-22-531							

Agricultural Limestone Tested

Fall 2022

Results are based on dry weight of material. Moisture content when sampled has no effect on lab results. If ag lime is wet when applied (>7% moisture), application rate should be increased by 0.5 tons/acre.

County: Crittenden	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
--------------------	--------------	---------------	-------	-------------	-------------	------	------	-------

Rogers Group Marion Quarry

1921 SR 1668

Marion, KY 42064

License ID: 32536 no sample collected

County: Daviess	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
-----------------	--------------	---------------	-------	-------------	-------------	------	------	-------

Castlen Steel

4565 Hwy 2830

Ag Lime

Owensboro, KY 42303

8/26/2022 9/22/2022 93.7 98.7 46.3 34.7 3.1 **67.9**

License ID: 09737 Sample Number: LM-22-519

Yager Materials LLC

701 E Second St

Ag Lime

Owensboro, KY 42303

9/30/2022 10/27/2022 91.4 83.5 19.1 34.7 1.9 **46.9**

License ID: 10699 Sample Number: LM-22-570

County: Estill	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
----------------	--------------	---------------	-------	-------------	-------------	------	------	-------

Tipton Ridge Quarry

SR 1 KY 52

Ag Lime

Ravenna, KY 40472

8/18/2022 9/22/2022 100.8 85.3 28.2 39.6 0.6 **57.2**

License ID: 10657 Sample Number: LM-22-510

County: Fleming	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
-----------------	--------------	---------------	-------	-------------	-------------	------	------	-------

Hanson Aggregates Midwest/Flemingsburg Quarry

KY Hwy 11 (100 Quarry Rd)

Ag Lime

Flemingsburg, KY 41041

9/15/2022 10/6/2022 85.8 89.3 36.5 33.3 1.0 **54.0**

License ID: 10679 Sample Number: LM-22-545

Agricultural Limestone Tested

Fall 2022

1/19/2023
Page 6 of 17

Results are based on dry weight of material. Moisture content when sampled has no effect on lab results. If ag lime is wet when applied (>7% moisture), application rate should be increased by 0.5 tons/acre.

County: Fulton	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
Southern FS								
345 ST RT 166 W								
Hickman, KY 42050								
License ID: 17402	no sample collected							
Riverfront Limestone LLC								
360 SR 1354 <u>Ag Lime</u>								
Hickman, KY 42050	9/14/2022	10/6/2022	96.4	88.5	40.3	38.2	0.8	62.1
License ID: 27155	Sample Number: LM-22-541							
County: Gallatin	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
Sterling Materials								
100 Sierra Drive <u>Ag Lime</u>								
Verona, KY 41092	8/31/2022	9/22/2022	96.6	67.9	17.6	35.5	1.9	41.3
License ID: 10674	Sample Number: LM-22-518							
County: Garrard	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
Dix River Stone Co								
4963 Danville Rd <u>Ag Lime</u>								
Lancaster, KY 40444	9/8/2022	10/6/2022	94.1	99.0	36.8	33.1	3.2	63.9
License ID: 10622	Sample Number: LM-22-535							
County: Grayson	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
Scotty's Contracting and Stone								
450 Quarry Rd <u>Ag Lime</u>								
Leitchfield, KY 42754	8/25/2022	9/22/2022	92.7	99.3	49.7	36.8	1.2	69.0
License ID: 10660	Sample Number: LM-22-516							
Caneyville Crushed Stone								
1831 Falls of Rough Rd <u>Ag Lime</u>								
Caneyville, KY 42721	9/26/2022	10/19/2022	80.1	91.0	32.6	30.0	2.0	49.5
License ID: 36943	Sample Number: LM-22-560							

Agricultural Limestone Tested

Fall 2022

1/19/2023

Page 7 of 17

Results are based on dry weight of material. Moisture content when sampled has no effect on lab results. If ag lime is wet when applied (>7% moisture), application rate should be increased by 0.5 tons/acre.

County: Green	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
Haydon Materials, LLC 2410 Columbia Hwy Greensburg, KY 42743 License ID: 10632								
		<u>Ag Lime</u>						
	8/16/2022	9/8/2022	84.1	94.5	37.7	29.9	2.7	55.6
	Sample Number: LM-22-507							
County: Hancock	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
Hancock County Ready Mixed Concrete 5330 River Rd Hawesville, KY 42348 License ID: 10610								
		<u>Ag Lime</u>						
	9/28/2022	10/27/2022	93.7	92.7	30.2	34.7	1.8	57.6
	Sample Number: LM-22-566							
County: Hardin	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
Hanson Aggregates Midwest/Upton Quarry 607 Quarry Rd Upton(Hardin), KY 42784 License ID: 10686								
		<u>Ag Lime</u>						
	8/18/2022	9/8/2022	95.2	99.1	81.5	33.3	2.9	85.9
	Sample Number: LM-22-508							
Vulcan Materials Co 7015 Leitchfield Rd Cecilia, KY 42724 License ID: 10696								
	No Data							
Mink Bros Quarry LLC 11889 Leitchfield Rd Cecilia, KY 42724 License ID: 31062								
		<u>Ag Lime</u>						
	8/8/2022	9/8/2022	91.0	97.9	46.6	32.0	3.6	65.8
	Sample Number: LM-22-503							
Scotty's Contracting and Stone 3355 Hill St Vine Grove, KY 40175 License ID: 38301								
	no sample collected							
County: Harlan	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
Bluegrass Materials Co, LLC 5075 N US Hwy 421 Bledsoe, KY 40810 License ID: 10602								
	No Data							

Agricultural Limestone Tested

Fall 2022

1/19/2023
Page 8 of 17

Results are based on dry weight of material. Moisture content when sampled has no effect on lab results. If ag lime is wet when applied (>7% moisture), application rate should be increased by 0.5 tons/acre.

County: Hart	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %		
Hart County Stone Company										
1594 E Main St Hwy 218			<u>Ag Lime</u>							
Horse Cave, KY 42749			8/15/2022	9/8/2022	96.4	83.6	33.8	34.1	3.1	56.6
License ID: 10664			Sample Number: LM-22-506							
County: Henderson	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %		
Henderson Materials										
2351 Old Geneva Rd			<u>Ag Lime</u>							
Henderson, KY 42420			9/30/2022	10/27/2022	94.9	97.1	41.0	29.5	5.5	65.6
License ID: 10598			Sample Number: LM-22-569							
County: Henry	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %		
Liters INC/Lockport Plant										
1058 River Rd			<u>Ag Lime</u>							
Lockport, KY 40036			8/20/2022	9/8/2022	90.4	92.9	41.7	35.2	1.3	60.8
License ID: 10642			Sample Number: LM-22-509							
County: Hickman	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %		
Nutrien Ag Clinton										
245 Gin Rd										
Clinton, KY 42031										
License ID: 10617			no sample collected							
County: Hopkins	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %		
Scotty's Contracting and Stone										
3444 Hubert Reid Dr			<u>Ag Lime</u>							
Madisonville, KY 42431			9/30/2022	10/27/2022	90.9	91.4	29.2	34.5	1.4	54.8
License ID: 38936			Sample Number: LM-22-568							
County: Jackson	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %		
Clover Bottom Quarry										
12146 Hwy 421 N										
McKee, KY 40447										
License ID: 10668			No Data							

Agricultural Limestone Tested

Fall 2022

Results are based on dry weight of material. Moisture content when sampled has no effect on lab results. If ag lime is wet when applied (>7% moisture), application rate should be increased by 0.5 tons/acre.

County: Jefferson	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
Rogers Group Inc 13400 Old Henry Rd Louisville, KY 40223 License ID: 00812 No Data								
County: Jessamine	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
Lexington Quarry Co 2200 Catnip Hill Rd Nicholasville, KY 40356 License ID: 10629 Sample Number: LM-22-517 <div style="text-align: right; margin-right: 100px;"><u>Ag Lime</u></div>								
	9/1/2022	10/6/2022	95.0	86.9	23.6	34.5	2.9	52.4
County: Letcher	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
Bluegrass Materials Co, LLC 21042 Hwy 160 Gordon, KY 41819 License ID: 10603 No Data								
County: Livingston	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
Lafarge Three Rivers Quarry 830 Three Rivers Quarry Rd Smithland, KY 42081 License ID: 10639 Sample Number: LM-22-515 <div style="text-align: right; margin-right: 100px;"><u>Ag Lime</u></div>								
	8/23/2022	9/22/2022	96.9	76.1	32.6	39.9	1.1	52.6
Pine Bluff Sand & Gravel Company 780 Spencer Rd Salem, KY 42078 License ID: 28803 Sample Number: LM-22-514 <div style="text-align: right; margin-right: 100px;"><u>Ag Lime</u></div>								
	8/23/2022	9/22/2022	87.1	99.0	45.3	33.6	2.3	62.9
Winn Materials/Grand Rivers Quarry 877 Dover Rd Grand Rivers, KY 42045 License ID: 33113 Sample Number: LM-22-528 <div style="text-align: right; margin-right: 100px;"><u>Ag Lime</u></div>								
	9/6/2022	10/6/2022	96.1	90.6	37.1	38.1	0.6	61.4

Agricultural Limestone Tested

Fall 2022

Results are based on dry weight of material. Moisture content when sampled has no effect on lab results. If ag lime is wet when applied (>7% moisture), application rate should be increased by 0.5 tons/acre.

County: Logan	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %		
Hanson Aggregates Midwest/Russellville Quarry										
1136 Morgantown Rd			<u>Ag Lime</u>							
Russellville, KY 42276			8/29/2022	9/22/2022	95.8	85.8	23.3	39.0	1.3	52.2
License ID: 10630			Sample Number: LM-22-520							
County: Madison	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %		
The Allen Company Inc/Boonesboro										
2591 Old Boonesboro Rd			<u>Ag Lime</u>							
Richmond, KY 40475			9/6/2022	9/22/2022	94.1	97.2	51.2	37.0	1.9	69.9
License ID: 10624			Sample Number: LM-22-527							
County: Marion	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %		
Haydon Materials, LLC										
1270 Hwy 208			<u>Ag Lime</u>							
Lebanon, KY 40033			9/15/2022	10/10/2022	80.4	78.6	28.3	28.9	2.6	43.0
License ID: 10644			Sample Number: LM-22-547							
County: Marshall	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %		
Calvert City Quarry										
5229 Industrial Parkway										
Calvert City, KY 42029										
License ID: 39151			no sample collected							
County: Mason	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %		
Eaton Asphalt Paving Co										
9222 Springdale Dr										
Maysville, KY 41056										
License ID: 26738			No Data							

Agricultural Limestone Tested

Fall 2022

1/19/2023
Page 11 of 17

Results are based on dry weight of material. Moisture content when sampled has no effect on lab results. If ag lime is wet when applied (>7% moisture), application rate should be increased by 0.5 tons/acre.

County: Meade	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
Riverside Stone Co								
4800 Cedar Flat Rd			<u>Ag Lime</u>					
Battletown, KY 40104	9/27/2022	10/19/2022	92.4	91.2	31.9	33.8	2.0	56.8
License ID: 10612	Sample Number: LM-22-562							
Hilltop Company								
1994 Paradise Bottom Rd			<u>Ag Lime</u>					
Battletown, KY 40104	9/27/2022	10/19/2022	88.8	44.1	10.4	32.3	1.2	24.2
License ID: 28141	Sample Number: LM-22-563							
Double T Mineral Sales Ltd, LLC								
1141 High St Ste 5								
Brandenburg, KY 40108								
License ID: 34786	no sample collected							
Haydon Materials								
9160 Rock Quarry Rd			<u>Ag Lime</u>					
Battletown, KY 40104	9/27/2022	10/27/2022	93.0	79.4	35.3	30.5	4.4	53.3
License ID: 38468	Sample Number: LM-22-564							
County: Menifee	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
Walker Construction and Materials/Menifee								
1180 Indian Creek Rd			<u>Ag Lime</u>					
Frenchburg, KY 40322	9/15/2022	10/6/2022	91.5	85.1	30.8	35.1	1.0	53.0
License ID: 10690	Sample Number: LM-22-544							
County: Mercer	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
Mercer Stone Co								
1050 Burgin Rd			<u>Ag Lime</u>					
Harrodsburg, KY 40330	9/8/2022	10/6/2022	92.1	88.8	45.3	37.2	0.5	61.7
License ID: 10628	Sample Number: LM-22-534							
County: Monroe	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
Monroe County Stone								
490 Rock Crusher Rd			<u>Ag Lime</u>					
Tompkinsville, KY 42167	8/4/2022	9/8/2022	88.9	97.9	35.3	34.7	0.9	59.2
License ID: 10625	Sample Number: LM-22-501							

Agricultural Limestone Tested

Fall 2022

1/19/2023

Page 12 of 17

Results are based on dry weight of material. Moisture content when sampled has no effect on lab results. If ag lime is wet when applied (>7% moisture), application rate should be increased by 0.5 tons/acre.

County: Montgomery	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
Walker Construction and Material/LLC Montgomery Stone								
7324 Donaldson Rd <u>Ag Lime</u>								
Mt Sterling, KY 40353	8/24/2022	9/22/2022	91.4	83.2	37.6	37.2	2.2	55.2
License ID: 10650	Sample Number: LM-22-511							
County: Morgan	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
Cave Run Stone								
10215 Ky 519 <u>Ag Lime</u>								
West Liberty, KY 41472	9/14/2022	10/6/2022	76.5	99.9	68.6	30.8	0.4	64.5
License ID: 10672	Sample Number: LM-22-543							
County: Muhlenberg	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
RB Paving and Construction LLC								
200 S Cherry St <u>Ag Lime</u>								
Greenville, KY 42345	9/1/2022	9/22/2022	85.9	99.5	28.0	34.3	1.2	54.7
License ID: 10637	Sample Number: LM-22-523							
County: Nelson	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
Haydon Materials Bardstown LLC								
625 Airport Road <u>Ag Lime</u>								
Bardstown, KY 40004	8/15/2022	9/8/2022	95.8	96.1	41.3	20.5	11.7	65.8
License ID: 10599	Sample Number: LM-22-505							
County: Ohio	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
Martin Marietta Materials								
9352 SR 69 E <u>Ag Lime</u>								
Hartford, KY 42347	9/28/2022	10/27/2022	96.0	74.2	29.2	33.5	3.2	49.6
License ID: 10600	Sample Number: LM-22-567							
County: Oldham	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
Oldham County Stone								
7700 W Hwy 329 <u>Ag Lime</u>								
Crestwood, KY 40014	9/22/2022	10/10/2022	98.7	94.9	45.0	22.5	11.6	69.1
License ID: 10618	Sample Number: LM-22-549							

Agricultural Limestone Tested

Fall 2022

1/19/2023
Page 13 of 17

Results are based on dry weight of material. Moisture content when sampled has no effect on lab results. If ag lime is wet when applied (>7% moisture), application rate should be increased by 0.5 tons/acre.

County: Pendleton	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
-------------------	--------------	---------------	-------	-------------	-------------	------	------	-------

Hilltop Stone LLC

1405 Hwy 177 E

Lime Sand

Butler, KY 41006

9/21/2022

10/19/2022

94.9

73.0

25.5

33.5

2.7

46.7

License ID: 10645

Sample Number: LM-22-555

County: Powell	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
----------------	--------------	---------------	-------	-------------	-------------	------	------	-------

Natural Bridge Stone

KY 15

Stanton, KY 40380

License ID: 10656

No Data

County: Pulaski	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
-----------------	--------------	---------------	-------	-------------	-------------	------	------	-------

Somerset Stone Company

KY 80 Bypass

Ag Lime

Somerset, KY 42502

9/7/2022

10/6/2022

93.3

98.2

43.7

37.2

0.6

66.2

License ID: 10655

Sample Number: LM-22-530

Hanson Aggregates Midwest LLC/Laurel Quarry

13670 E. Hwy 80

Ag Lime

Somerset, KY 42501

9/9/2022

10/6/2022

95.8

95.6

50.1

37.9

1.2

69.8

License ID: 10689

Sample Number: LM-22-532

Lake Cumberland Stone

US 27 S

Burnside, KY 42519

License ID: 10706

No Data

Pulaski Stone

100 James Rd

Somerset, KY 42501

License ID: 28088

No Data

Agricultural Limestone Tested

Fall 2022

1/19/2023
Page 14 of 17

Results are based on dry weight of material. Moisture content when sampled has no effect on lab results. If ag lime is wet when applied (>7% moisture), application rate should be increased by 0.5 tons/acre.

County: Rockcastle	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
Hanson Aggregates Midwest LLC/Mt Vernon Quarry								
Hwy 150			<u>Ag Lime</u>					
Mt Vernon, KY 40456	9/9/2022	10/6/2022	94.8	98.2	45.7	36.4	1.3	68.2
License ID: 10682	Sample Number: LM-22-533							
ATS Construction DBA LM Asphalt Partners LTD								
3740 Lake Cumberland Rd								
Mt Vernon, KY 40456								
License ID: 33493	No Data							
County: Scott	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
Nally & Gibson Georgetown LLC								
1267 E. Main Street			<u>Ag Lime</u>					
Georgetown, KY 40324	9/22/2022	10/19/2022	94.1	91.0	32.0	35.3	1.6	57.9
License ID: 10626	Sample Number: LM-22-557							
County: Simpson	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
Hanson Aggregates Midwest LLC/Franklin Quarry								
211 Old Nashville Rd S			<u>Ag Lime</u>					
Woodburn, KY 42170	9/6/2022	9/22/2022	94.8	97.4	49.3	36.9	2.4	69.5
License ID: 10688	Sample Number: LM-22-525							
Charles Deweese Construction Quarry								
863 Gold City Rd			<u>Ag Lime</u>					
Franklin, KY 42134	9/6/2022	9/22/2022	84.3	97.0	67.4	29.5	4.5	69.3
License ID: 36455	Sample Number: LM-22-524							
County: Todd	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
Todd County Stone, LLC								
5 North David Hightower Road			<u>Ag Lime</u>					
Elkton, KY 42220	9/12/2022	10/6/2022	93.9	99.7	53.6	34.6	2.3	72.0
License ID: 39737	Sample Number: LM-22-537							

Agricultural Limestone Tested

Fall 2022

Results are based on dry weight of material. Moisture content when sampled has no effect on lab results. If ag lime is wet when applied (>7% moisture), application rate should be increased by 0.5 tons/acre.

County: Trimble	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
------------------------	--------------	---------------	-------	-------------	-------------	------	------	-------

Trimble Co Sand & Gravel
 920 Wise Landing Rd
 Bedford, KY 40006
 License ID: 10692 no sample collected

County: Warren	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
-----------------------	--------------	---------------	-------	-------------	-------------	------	------	-------

Martin Marietta Materials - BG North
 809 McGinnis Quarry Rd Ag Lime
 Bowling Green, KY 42101 8/31/2022 9/22/2022 96.9 85.9 31.9 33.2 4.4 **57.1**
 License ID: 10638 Sample Number: LM-22-522

Martin Marietta Materials - BG South
 2195 Barren River Rd Ag Lime
 Bowling Green, KY 42101 8/31/2022 9/22/2022 94.7 78.3 29.0 32.8 4.5 **50.8**
 License ID: 10647 Sample Number: LM-22-521

County: Wayne	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
----------------------	--------------	---------------	-------	-------------	-------------	------	------	-------

Bassett Stone Co
 120 Victory Ave
 Monticello, KY 42633
 License ID: 10653 No Data

Agricultural Limestone Tested

Fall 2022

Results are based on dry weight of material. Moisture content when sampled has no effect on lab results. If ag lime is wet when applied (>7% moisture), application rate should be increased by 0.5 tons/acre.

County: zOut Of State	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
Farmers Lime Company								
8928 Brundidge Rd South Fulton, TN 38257								
License ID: 10601 No Data								
O-N Minerals Luttrell Company								
486 Clinch Valley Rd Luttrell, TN 37779								
License ID: 10649 No Data								
Jellico Stone Company								
Hwy 25 Jellico, TN 37762								
License ID: 10652 No Data								
E Dillon & CO								
2522 Swords Creek Rd Swords Creek, VA 24649								
License ID: 10661 No Data								
Hanson Aggregates Midwest LLC/Scott Co Quarry								
313 SR 203 Lexington, IN 47138								
License ID: 10684 No Data								
Hanson Aggregates Midwest LLC/Versailles Quarry								
606 W Co Rd 300 South Versailles, IN 47042								
License ID: 10687 No Data								
Tennessee Valley Resources, INC								
1889 Flat Gap Rd Jefferson City, TN 37760								
License ID: 10704 No Data								
The Andersons INC								
1947 Briarfield Rd Maumee, OH 43537								
License ID: 23795 No Data								

Agricultural Limestone Tested

Fall 2022

1/19/2023
Page 17 of 17

Results are based on dry weight of material. Moisture content when sampled has no effect on lab results. If ag lime is wet when applied (>7% moisture), application rate should be increased by 0.5 tons/acre.

Oldcastle Lawn and Garden

Hwy A 58 W

Castlewood, VA 24224

License ID: 25097 No Data

Austinville Limestone Inc

223 Newtown Church Rd

Austinville, VA 24312

License ID: 26279 No Data

Winn Materials, LLC

800 Barge Point Rd

Clarksville, TN 37042

License ID: 27096 No Data

Apac Brickeys Stone

13588 Brickeys Rd

Bloomsdale, MO 63627

License ID: 31370 No Data

Calcium Products

50602 330th Street

Gilmore City, IA 50541

License ID: 34333 No Data

Shawnee Stone, LLC

1275 Jonesboro Quarry Rd

Anna, IL 62906

License ID: 36540 No Data

Total Companies: 69

Total Tests: 71

Results are from Official samples taken by UK Division of Regulatory Services Inspectors.

Resources on Ag Lime:

ID-163, Agricultural Lime Recommendations Based on Lime Quality:

<http://www2.ca.uky.edu/agcomm/pubs/id/id163/id163.pdf>

Economic Lime Calculators: www.rs.uky.edu/soil/cal.php

The above described Ag Lime was sampled and analyzed under contractual agreement with the Kentucky Department of Agriculture pursuant to the Kentucky Ag Lime Law. Questions concerning this report should be sent to: Frank Sikora, Director of Laboratories and Soils Program