

## Agricultural Limestone Tested

### Spring 2021

7/27/2021  
Page 1 of 19

*Results are based on dry weight of material. Moisture content when sampled has no effect on lab results. If ag lime is wet when applied (>7% moisture), application rate should be increased by 0.5 tons/acre.*

County: Adair	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
<b>Gaddie Shamrock LLC/Williams Quarry</b>								
Hwy 55 S			<u>Ag Lime</u>					
Columbia, KY 42728	5/13/2021	6/1/2021	92.6	98.1	43.3	33.0	2.8	<b>65.5</b>
License ID: 10619	Sample Number: LM-21-057							
<b>Burton Stone</b>								
897 Fairplay Rd			<u>Ag Lime</u>					
Columbia, KY 42728	5/13/2021	6/1/2021	90.0	97.6	40.4	27.7	5.7	<b>62.2</b>
License ID: 14577	Sample Number: LM-21-056							
County: Allen	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
<b>Allen County Stone</b>								
2438 Old State Rd E			<u>Ag Lime</u>					
Scottsville, KY 42164	3/8/2021	4/12/2021	89.9	95.4	31.8	34.3	1.5	<b>57.2</b>
License ID: 10702	Sample Number: LM-21-010							
County: Anderson	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
<b>Hanson Aggregates Midwest LLC/Tyrone Quarry</b>								
1645 Tyrone Rd			<u>Ag Lime</u>					
Lawrenceburg, KY 40342	5/17/2021	6/1/2021	97.8	96.9	64.8	30.8	5.5	<b>79.1</b>
License ID: 10685	Sample Number: LM-21-060							
County: Ballard	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
<b>Bandana Ag, Inc.</b>								
100 Needmore Rd								
La Center, KY 42056								
License ID: 10643	no sample collected							
<b>Sullivan Lime &amp; Backhoe Service, LLC</b>								
498 W. Kentucky Drive			<u>Ag Lime</u>					
La Center, KY 42056	3/24/2021	5/7/2021	98.2	95.6	40.3	41.3	0.5	<b>66.8</b>
License ID: 10675	Sample Number: LM-21-019							

# Agricultural Limestone Tested

## Spring 2021

7/27/2021

Page 2 of 19

Results are based on dry weight of material. Moisture content when sampled has no effect on lab results. If ag lime is wet when applied (>7% moisture), application rate should be increased by 0.5 tons/acre.

County: Barren	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
<b>Farm Ag Sales, LLC</b>								
66 E Main St, Hwy 70 Hiseville, KY 42152								
License ID: 05875	No Data							
<b>Glass Aggregates</b>								
791 Love Knob Rd Glasgow, KY 42141								
License ID: 10700	No Data							
<b>Scotty's Contracting and Stone</b>								
<u>Ag Lime</u>								
1140 Flint Knob Rd Cave City, KY 42127								
License ID: 10701	4/19/2021	5/7/2021	95.1	93.2	37.2	37.8	1.5	<b>62.0</b>
Sample Number: LM-21-036								
<b>Park City Stone, LLC</b>								
454 State Quarry Rd Cave City, KY 42127								
License ID: 35078	no sample collected							

County: Bourbon	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
<b>Bourbon Limestone</b>								
2470 Fords Mill Rd Paris, KY 40361								
License ID: 10620	5/10/2021	5/24/2021	97.6	91.4	37.2	35.5	2.8	<b>62.8</b>
Sample Number: LM-21-049								

County: Boyle	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
<b>Caldwell Stone Co, Inc</b>								
1648 Stanford Rd Danville, KY 40422								
License ID: 10627	6/8/2021	6/17/2021	89.4	93.6	64.4	34.7	1.6	<b>70.6</b>
Sample Number: LM-21-069								
<b>Caldwell Stone Co, Inc</b>								
1648 Stanford Rd Danville, KY 40422								
License ID: 10627	5/17/2021	6/1/2021	88.5	85.7	53.1	34.0	1.3	<b>61.4</b>
Sample Number: LM-21-063								

# Agricultural Limestone Tested

## Spring 2021

7/27/2021

Page 3 of 19

*Results are based on dry weight of material. Moisture content when sampled has no effect on lab results. If ag lime is wet when applied (>7% moisture), application rate should be increased by 0.5 tons/acre.*

County: Breckinridge	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
----------------------	--------------	---------------	-------	-------------	-------------	------	------	-------

**White Stone Company**

2281 Hwy 992

Ag Lime

Hardinsburg, KY 40143

4/16/2021

5/7/2021

90.3

91.8

31.6

31.7

2.0

55.7

License ID: 10614

Sample Number: LM-21-031

**Liters Quarry**

Hwy 477

Ag Lime

Irvington, KY 40146

4/8/2021

5/7/2021

95.3

90.7

25.1

35.2

3.2

55.2

License ID: 10680

Sample Number: LM-21-029

County: Bullitt	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
-----------------	--------------	---------------	-------	-------------	-------------	------	------	-------

**Quality Stone & Ready Mix, Inc**

3260 N Preston Hwy

Ag Lime

Shepherdsville, KY 40165

5/4/2021

5/24/2021

95.5

98.3

44.1

21.6

9.8

67.9

License ID: 10596

Sample Number: LM-21-053

**Quality Stone & Ready Mix, Inc**

3260 N Preston Hwy

Ag Lime

Shepherdsville, KY 40165

3/24/2021

5/7/2021

99.1

98.6

49.5

24.8

10.3

73.4

License ID: 10596

Sample Number: LM-21-021

County: Butler	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
----------------	--------------	---------------	-------	-------------	-------------	------	------	-------

**Martin Marietta Materials**

2615 Bowling Green Rd

Ag Lime

Morgantown, KY 42261

3/10/2021

4/12/2021

95.0

96.9

36.2

32.5

3.6

63.2

License ID: 10646

Sample Number: LM-21-011

**Road Builders**

683 W Basham Rd

Morgantown, KY 42261

License ID: 24232

no sample collected

# Agricultural Limestone Tested

## Spring 2021

7/27/2021

Page 4 of 19

Results are based on dry weight of material. Moisture content when sampled has no effect on lab results. If ag lime is wet when applied (>7% moisture), application rate should be increased by 0.5 tons/acre.

County:	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
<b>Caldwell</b>								
<b>Rogers Group Quarry</b>								
10234 Hopkinsville Rd								
Princeton, KY 42445								
License ID: 10683      no sample collected								
<b>Lafarge West Fredonia Quarry</b>								
297 Fredonia Quarry Rd <u>Ag Lime</u>								
Fredonia, KY 42411      3/23/2021      4/12/2021      98.7      94.2      55.3      37.8      0.8 <b>73.8</b>								
License ID: 10703      Sample Number: LM-21-017								
<b>Calloway</b>								
<b>Furches Farms</b>								
3182 SR 94 W <u>Ag Lime</u>								
Murray, KY 42071      3/9/2021      3/25/2021      95.9      98.8      66.1      38.7      0.9 <b>79.1</b>								
License ID: 09708      Sample Number: LM-21-004								
<b>Carroll</b>								
<b>Phoenix Services Waylite Group</b>								
6870 Hwy 42 E <u>Ag Lime</u>								
Ghent, KY 41045      3/10/2021      3/25/2021      98.0      99.8      57.3      33.4      5.6 <b>77.0</b>								
License ID: 14407      Sample Number: LM-21-006								
<b>Carter</b>								
<b>Hanson Aggregates Midwest LLC/AA Limestone Inc</b>								
14011 State Hwy 9 <u>Ag Lime, fresh pile made 5/11/21</u>								
Grayson, KY 41143      5/11/2021      5/24/2021      72.1      90.5      41.8      29.7      0.3 <b>47.7</b>								
License ID: 10705      Sample Number: LM-21-051								
<b>Hanson Aggregates Midwest LLC/AA Limestone Inc</b>								
14011 State Hwy 9 <u>Ag Lime, old inventory</u>								
Grayson, KY 41143      5/11/2021      5/24/2021      77.6      88.9      35.6      32.2      0.2 <b>48.3</b>								
License ID: 10705      Sample Number: LM-21-050								
<b>Mountain Materials</b>								
11097 SR 2 <u>Ag Lime</u>								
Olive Hill, KY 41164      5/11/2021      5/24/2021      84.6      69.4      31.3      34.5      0.4 <b>42.6</b>								
License ID: 32012      Sample Number: LM-21-052								

# Agricultural Limestone Tested

## Spring 2021

7/27/2021

Page 5 of 19

Results are based on dry weight of material. Moisture content when sampled has no effect on lab results. If ag lime is wet when applied (>7% moisture), application rate should be increased by 0.5 tons/acre.

County: Casey	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
---------------	--------------	---------------	-------	-------------	-------------	------	------	-------

**Casey Stone Company**

15519 East KY 70  
Bethelridge, KY 42516  
License ID: 10654

No Data

County: Christian	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
-------------------	--------------	---------------	-------	-------------	-------------	------	------	-------

**Hopkinsville Aggregate Company**

355 Harry Berry Rd; US 41A

Ag Lime

Hopkinsville, KY 42240

3/11/2021

3/25/2021

92.8

98.0

45.3

37.5

0.8

**66.5**

License ID: 10611

Sample Number: LM-21-009

**Apex Materials, LLC**

20215 N Greenville Rd  
White Plains, KY 42464

License ID: 19875

No Data

County: Clinton	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
-----------------	--------------	---------------	-------	-------------	-------------	------	------	-------

**Gaddie Shamrock LLC/Caldwell Quarry**

Hwy 1590

Ag Lime

Albany, KY 42602

5/21/2021

6/17/2021

95.3

98.2

40.5

36.9

1.3

**66.1**

License ID: 10648

Sample Number: LM-21-064

**Albany Farms LLC/dba Albany Quarry**

292 Maple Mountain Rd

Ag Lime

Albany, KY 42602

5/11/2021

5/24/2021

96.1

100.0

46.3

37.9

1.4

**70.3**

License ID: 31513

Sample Number: LM-21-054

County: Crittenden	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
--------------------	--------------	---------------	-------	-------------	-------------	------	------	-------

**Rogers Group Marion Quarry**

1921 SR 1668

Marion, KY 42064

License ID: 32536

No Data

# Agricultural Limestone Tested

## Spring 2021

7/27/2021  
Page 6 of 19

Results are based on dry weight of material. Moisture content when sampled has no effect on lab results. If ag lime is wet when applied (>7% moisture), application rate should be increased by 0.5 tons/acre.

County: Daviess	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
<b>Yager Materials LLC</b> 701 E Second St Owensboro, KY 42303 License ID: 10699      No Data								
County: Estill	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
<b>Tipton Ridge Quarry</b> SR 1 KY 52 Ravenna, KY 40472 License ID: 10657								
		<u>Ag Lime</u>						
	5/3/2021	5/24/2021	94.2	96.2	40.9	38.2	0.5	64.6
	Sample Number: LM-21-045							
County: Fleming	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
<b>Hanson Aggregates Midwest/Flemingsburg Quarry</b> KY Hwy 11 (100 Quarry Rd) Flemingsburg, KY 41041 License ID: 10679								
		<u>Ag Lime</u>						
	5/7/2021	5/24/2021	83.7	95.2	42.2	32.7	1.2	57.5
	Sample Number: LM-21-046							
County: Fulton	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
<b>Southern FS</b> 345 ST RT 166 W Hickman, KY 42050 License ID: 17402      no sample collected								
<b>Riverfront Limestone LLC</b> 360 SR 1354 Hickman, KY 42050 License ID: 27155								
		<u>Ag Lime</u>						
	3/25/2021	5/7/2021	97.2	91.5	37.2	40.2	0.6	62.5
	Sample Number: LM-21-020							
County: Gallatin	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
<b>Sterling Materials</b> 100 Sierra Drive Verona, KY 41092 License ID: 10674								
		<u>Ag Lime</u>						
	3/10/2021	3/25/2021	97.5	58.9	14.1	37.7	1.9	35.6
	Sample Number: LM-21-007							

# Agricultural Limestone Tested

## Spring 2021

7/27/2021

Page 7 of 19

Results are based on dry weight of material. Moisture content when sampled has no effect on lab results. If ag lime is wet when applied (>7% moisture), application rate should be increased by 0.5 tons/acre.

County: Garrard	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
-----------------	--------------	---------------	-------	-------------	-------------	------	------	-------

**Dix River Stone Co**

4963 Danville Rd

Lancaster, KY 40444

License ID: 10622

Ag Lime

5/17/2021    6/1/2021  
Sample Number: LM-21-059

92.9    98.4    25.3    35.9    1.6    **57.5**

County: Grayson	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
-----------------	--------------	---------------	-------	-------------	-------------	------	------	-------

**Scotty's Contracting and Stone**

450 Quarry Rd

Leitchfield, KY 42754

License ID: 10660

Ag Lime

4/22/2021    5/24/2021  
Sample Number: LM-21-039

92.5    98.9    44.8    36.3    1.5    **66.5**

**Caneyville Crushed Stone**

1831 Falls of Rough Rd

Caneyville, KY 42721

License ID: 36943

Ag Lime

4/22/2021    5/24/2021  
Sample Number: LM-21-040

78.6    91.7    39.2    28.9    2.3    **51.5**

County: Green	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
---------------	--------------	---------------	-------	-------------	-------------	------	------	-------

**Haydon Materials, LLC**

2410 Columbia Hwy

Greensburg, KY 42743

License ID: 10632

Ag Lime

3/23/2021    4/12/2021  
Sample Number: LM-21-018

91.0    91.1    37.6    34.1    1.4    **58.6**

County: Hancock	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
-----------------	--------------	---------------	-------	-------------	-------------	------	------	-------

**Hancock County Ready Mixed Concrete**

5330 River Rd

Hawesville, KY 42348

License ID: 10610

Ag Lime

3/19/2021    4/12/2021  
Sample Number: LM-21-015

94.3    90.6    23.7    34.5    2.1    **53.9**

# Agricultural Limestone Tested

## Spring 2021

7/27/2021  
Page 8 of 19

Results are based on dry weight of material. Moisture content when sampled has no effect on lab results. If ag lime is wet when applied (>7% moisture), application rate should be increased by 0.5 tons/acre.

County: Hardin	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
<b>Hanson Aggregates Midwest/Upton Quarry</b>								
607 Quarry Rd			<u>Ag Lime</u>					
Upton(Hardin), KY 42784	4/15/2021	5/7/2021	95.1	98.6	79.4	37.3	1.6	<b>84.7</b>
License ID: 10686	Sample Number: LM-21-035							
<b>Vulcan Materials Co</b>								
7015 Leitchfield Rd			<u>Ag Lime</u>					
Cecilia, KY 42724	4/15/2021	5/7/2021	94.5	68.0	15.0	36.8	2.3	<b>39.2</b>
License ID: 10696	Sample Number: LM-21-034							
<b>Mink Bros Quarry LLC</b>								
11889 Leitchfield Rd			<u>Ag Lime</u>					
Cecilia, KY 42724	4/15/2021	5/7/2021	88.6	94.0	35.2	34.5	2.0	<b>57.2</b>
License ID: 31062	Sample Number: LM-21-033							
<b>Scotty's Contracting and Stone</b>								
3355 Hill St								
Vine Grove, KY 40175								
License ID: 38301	No Data							

County: Harlan	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
<b>Bluegrass Materials Co, LLC</b>								
5075 N US Hwy 421								
Bledsoe, KY 40810								
License ID: 10602	No Data							

County: Hart	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
<b>Scotty's Contracting and Stone</b>								
1594 E Main St Hwy 218			<u>Ag Lime</u>					
Horse Cave, KY 42749	4/19/2021	5/24/2021	94.6	94.2	23.5	37.9	1.4	<b>55.7</b>
License ID: 10664	Sample Number: LM-21-037							

County: Henderson	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
<b>Henderson Materials</b>								
2351 Old Geneva Rd			<u>Ag Lime</u>					
Henderson, KY 42420	4/21/2021	5/24/2021	94.3	97.8	39.7	34.7	2.9	<b>64.8</b>
License ID: 10598	Sample Number: LM-21-038							



# Agricultural Limestone Tested

## Spring 2021

7/27/2021

Page 9 of 19

*Results are based on dry weight of material. Moisture content when sampled has no effect on lab results. If ag lime is wet when applied (>7% moisture), application rate should be increased by 0.5 tons/acre.*

County: Henry	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
---------------	--------------	---------------	-------	-------------	-------------	------	------	-------

**Liters INC/Lockport Plant**

1058 River Rd

Ag Lime

Lockport, KY 40036

3/10/2021

3/25/2021

92.4

95.0

37.2

37.2

1.3

**61.0**

License ID: 10642

Sample Number: LM-21-005

County: Hickman	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
-----------------	--------------	---------------	-------	-------------	-------------	------	------	-------

**Nutrien Ag Clinton**

245 Gin Rd

Clinton, KY 42031

License ID: 10617

No Data

County: Hopkins	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
-----------------	--------------	---------------	-------	-------------	-------------	------	------	-------

**Scotty's Contracting and Stone**

3444 Hubert Reid Dr

Ag Lime

Madisonville, KY 42431

3/23/2021

4/12/2021

91.7

94.0

24.9

33.7

1.5

**54.5**

License ID: 38936

Sample Number: LM-21-016

County: Jackson	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
-----------------	--------------	---------------	-------	-------------	-------------	------	------	-------

**Clover Bottom Quarry**

12146 Hwy 421 N

McKee, KY 40447

License ID: 10668

No Data

County: Jessamine	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
-------------------	--------------	---------------	-------	-------------	-------------	------	------	-------

**Lexington Quarry Co**

2200 Catnip Hill Rd

Nicholasville, KY 40356

License ID: 10629

No Data

# Agricultural Limestone Tested

## Spring 2021

7/27/2021

Page 10 of 19

Results are based on dry weight of material. Moisture content when sampled has no effect on lab results. If ag lime is wet when applied (>7% moisture), application rate should be increased by 0.5 tons/acre.

County: <b>Letcher</b>	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
------------------------	-----------------	------------------	-------	----------------	----------------	------	------	-------

**Bluegrass Materials Co, LLC**

21042 Hwy 160

Gordon, KY 41819

License ID: 10603      No Data

**Mountain Aggregates Inc**

12536 Hwy 805

Burdine, KY 41517

License ID: 10609      No Data

County: <b>Livingston</b>	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
---------------------------	-----------------	------------------	-------	----------------	----------------	------	------	-------

**Lafarge Three Rivers Quarry**

830 Three Rivers Quarry Rd

Smithland, KY 42081

License ID: 10639      Sample Number: LM-21-002

Ag Lime

3/8/2021    3/25/2021    97.9    95.7    44.1    38.9    1.0    **68.4**

**Pine Bluff Sand & Gravel Company**

780 Spencer Rd

Salem, KY 42078

License ID: 28803      Sample Number: LM-21-003

Ag Lime

3/8/2021    3/25/2021    88.6    98.9    49.2    33.3    2.7    **65.6**

**Winn Materials/Grand Rivers Quarry**

877 Dover Rd

Grand Rivers, KY 42045

License ID: 33113      Sample Number: LM-21-001

Ag Lime

3/8/2021    3/25/2021    95.8    98.7    63.6    38.7    0.9    **77.8**

County: <b>Logan</b>	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
----------------------	-----------------	------------------	-------	----------------	----------------	------	------	-------

**Hanson Aggregates Midwest/Russellville Quarry**

1136 Morgantown Rd

Russellville, KY 42276

License ID: 10630      Sample Number: LM-21-012

Ag Lime

3/11/2021    4/12/2021    94.9    88.6    19.1    35.3    1.8    **51.1**

County: <b>Lyon</b>	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
---------------------	-----------------	------------------	-------	----------------	----------------	------	------	-------

**H & G Limestone Products, LLC**

72 Depot Rd

Eddyville, KY 42038

License ID: 34114      no sample collected

# Agricultural Limestone Tested

## Spring 2021

7/27/2021

Page 11 of 19

*Results are based on dry weight of material. Moisture content when sampled has no effect on lab results. If ag lime is wet when applied (>7% moisture), application rate should be increased by 0.5 tons/acre.*

County: <b>Madison</b>	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
------------------------	--------------	---------------	-------	-------------	-------------	------	------	-------

**The Allen Company Inc/Boonesboro**

2591 Old Boonesboro Rd

Ag Lime

Richmond, KY 40475

4/29/2021

5/24/2021

95.2

97.5

74.0

35.4

2.6

**81.7**

License ID: 10624

Sample Number: LM-21-044

County: <b>Marion</b>	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
-----------------------	--------------	---------------	-------	-------------	-------------	------	------	-------

**Haydon Materials, LLC**

1270 Hwy 208

Ag Lime

Lebanon, KY 40033

5/18/2021

6/1/2021

85.1

92.2

39.2

28.8

3.5

**55.9**

License ID: 10644

Sample Number: LM-21-061

County: <b>Marshall</b>	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
-------------------------	--------------	---------------	-------	-------------	-------------	------	------	-------

**Calvert City Quarry**

5229 Industrial Parkway

Calvert City, KY 42029

License ID: 39151

no sample collected

County: <b>Mason</b>	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
----------------------	--------------	---------------	-------	-------------	-------------	------	------	-------

**Eaton Asphalt Paving Co**

9222 Springdale Dr

Maysville, KY 41056

License ID: 26738

No Data

# Agricultural Limestone Tested

## Spring 2021

7/27/2021  
Page 12 of 19

Results are based on dry weight of material. Moisture content when sampled has no effect on lab results. If ag lime is wet when applied (>7% moisture), application rate should be increased by 0.5 tons/acre.

County: Meade	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
<b>Riverside Stone Co</b>								
4800 Cedar Flat Rd			<u>Ag Lime</u>					
Battletown, KY 40104	4/8/2021	5/7/2021	92.4	88.0	31.8	35.1	2.3	<b>55.3</b>
License ID: 10612	Sample Number: LM-21-026							
<b>Hilltop Company</b>								
1994 Paradise Bottom Rd			<u>Ag Lime</u>					
Battletown, KY 40104	4/8/2021	5/7/2021	92.2	71.7	21.6	36.3	1.5	<b>43.1</b>
License ID: 28141	Sample Number: LM-21-027							
<b>Double T Mineral Sales Ltd, LLC</b>								
1141 High St Ste 5								
Brandenburg, KY 40108								
License ID: 34786	No Data							
<b>Haydon Materials</b>								
9160 Rock Quarry Rd			<u>Ag Lime</u>					
Battletown, KY 40104	4/8/2021	5/7/2021	95.3	75.6	32.7	33.2	4.4	<b>51.6</b>
License ID: 38468	Sample Number: LM-21-028							
County: Menifee	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
<b>Walker Construction and Materials/Menifee</b>								
1180 Indian Creek Rd			<u>Ag Lime</u>					
Frenchburg, KY 40322	5/7/2021	5/24/2021	83.9	86.0	52.2	33.3	1.0	<b>58.0</b>
License ID: 10690	Sample Number: LM-21-047							
County: Mercer	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
<b>Mercer Stone Co</b>								
1050 Burgin Rd			<u>Ag Lime</u>					
Harrodsburg, KY 40330	5/18/2021	6/1/2021	95.7	90.3	36.7	39.4	0.4	<b>60.7</b>
License ID: 10628	Sample Number: LM-21-062							
County: Monroe	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
<b>Scottys Contracting and Stone</b>								
490 Rock Crusher Rd			<u>Ag Lime</u>					
Tompkinsville, KY 42167	4/12/2021	5/7/2021	87.7	98.3	37.7	35.5	1.0	<b>59.6</b>
License ID: 10625	Sample Number: LM-21-032							

# Agricultural Limestone Tested

## Spring 2021

7/27/2021

Page 13 of 19

Results are based on dry weight of material. Moisture content when sampled has no effect on lab results. If ag lime is wet when applied (>7% moisture), application rate should be increased by 0.5 tons/acre.

County: <b>Montgomery</b>	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
<b>The Walker Co of Ky INC/Montgomery Stone</b>								
7324 Donaldson Rd			<u>Ag Lime</u>					
Mt Sterling, KY 40353	4/29/2021	5/24/2021	93.9	93.9	47.0	35.2	2.3	<b>66.1</b>
License ID: 10650	Sample Number: LM-21-043							
County: <b>Morgan</b>	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
<b>Cave Run Stone</b>								
10215 Ky 519			<u>Ag Lime</u>					
West Liberty, KY 41472	5/13/2021	6/1/2021	96.8	97.8	39.9	39.5	0.3	<b>66.7</b>
License ID: 10672	Sample Number: LM-21-058							
County: <b>Muhlenberg</b>	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
<b>Greenville Quarries</b>								
200 S Cherry St			<u>Ag Lime</u>					
Greenville, KY 42345	4/1/2021	5/7/2021	86.3	99.1	26.7	34.6	0.9	<b>54.3</b>
License ID: 10637	Sample Number: LM-21-025							
County: <b>Nelson</b>	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
<b>Haydon Materials Bardstown, LLC</b>								
625 Airport Road			<u>Ag Lime, high Mg</u>					
Bardstown, KY 40004	4/23/2021	5/24/2021	95.6	85.0	24.8	20.9	11.3	<b>52.5</b>
License ID: 10599	Sample Number: LM-21-041							
<b>Haydon Materials Bardstown, LLC</b>								
625 Airport Road			<u>Ag Lime, high Ca</u>					
Bardstown, KY 40004	4/23/2021	5/24/2021	92.7	82.5	28.4	31.0	4.5	<b>51.4</b>
License ID: 10599	Sample Number: LM-21-042							
County: <b>Ohio</b>	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
<b>Martin Marietta Materials</b>								
9352 SR 69 E			<u>Ag Lime</u>					
Hartford, KY 42347	4/16/2021	5/7/2021	96.8	79.1	30.2	36.6	3.0	<b>52.9</b>
License ID: 10600	Sample Number: LM-21-030							

# Agricultural Limestone Tested

## Spring 2021

7/27/2021  
Page 14 of 19

Results are based on dry weight of material. Moisture content when sampled has no effect on lab results. If ag lime is wet when applied (>7% moisture), application rate should be increased by 0.5 tons/acre.

County: Oldham	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
<b>Oldham County Stone</b>								
7700 W Hwy 329			<u>Ag Lime</u>					
Crestwood, KY 40014	3/17/2021	4/12/2021	99.5	96.4	48.9	22.0	10.2	<b>72.3</b>
License ID: 10618	Sample Number: LM-21-014							
County: Pendleton	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
<b>Hilltop Stone, LLC</b>								
1405 Hwy 177 E			<u>Lime Sand</u>					
Butler, KY 41006	5/10/2021	5/24/2021	93.9	76.2	25.0	35.5	1.9	<b>47.5</b>
License ID: 10645	Sample Number: LM-21-048							
County: Powell	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
<b>Natural Bridge Stone</b>								
KY 15								
Stanton, KY 40380								
License ID: 10656	No Data							
County: Pulaski	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
<b>Somerset Stone Company</b>								
KY 80 Bypass			<u>Ag Lime</u>					
Somerset, KY 42502	5/12/2021	6/1/2021	93.9	96.6	42.6	37.4	1.0	<b>65.4</b>
License ID: 10655	Sample Number: LM-21-055							
<b>Hanson Aggregates Midwest LLC/Laurel Quarry</b>								
13670 E. Hwy 80			<u>Ag Lime</u>					
Somerset, KY 42501	5/25/2021	6/17/2021	93.0	99.0	55.3	37.3	0.6	<b>71.8</b>
License ID: 10689	Sample Number: LM-21-065							
<b>Lake Cumberland Stone</b>								
US 27 S								
Burnside, KY 42519								
License ID: 10706	No Data							
<b>Pulaski Stone</b>								
100 James Rd								
Somerset, KY 42501								
License ID: 28088	No Data							

# Agricultural Limestone Tested

## Spring 2021

7/27/2021

Page 15 of 19

Results are based on dry weight of material. Moisture content when sampled has no effect on lab results. If ag lime is wet when applied (>7% moisture), application rate should be increased by 0.5 tons/acre.

County: Rockcastle	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
<b>Hanson Aggregates Midwest LLC/Mt Vernon Quarry</b>								
Hwy 150 <span style="float: right;"><u>Ag Lime</u></span>								
Mt Vernon, KY 40456	5/25/2021	6/17/2021	91.4	92.0	18.5	35.2	1.5	<b>50.4</b>
License ID: 10682	Sample Number: LM-21-066							
County: Scott	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
<b>Nally &amp; Gibson Georgetown LLC</b>								
1267 E. Main Street <span style="float: right;"><u>Ag Lime</u></span>								
Georgetown, KY 40324	3/10/2021	3/25/2021	94.9	87.6	25.3	36.8	1.7	<b>53.5</b>
License ID: 10626	Sample Number: LM-21-008							
County: Simpson	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
<b>Hanson Aggregates Midwest LLC/Franklin Quarry</b>								
211 Old Nashville Rd S <span style="float: right;"><u>Ag Lime</u></span>								
Woodburn, KY 42170	3/30/2021	5/7/2021	96.7	95.2	45.3	35.2	3.4	<b>67.9</b>
License ID: 10688	Sample Number: LM-21-023							
<b>Drakes Creek Holdings</b>								
863 Gold City Rd <span style="float: right;"><u>Ag Lime</u></span>								
Franklin, KY 42134	3/30/2021	5/7/2021	85.9	82.0	54.7	25.7	6.8	<b>58.7</b>
License ID: 36455	Sample Number: LM-21-022							
County: Todd	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
<b>Todd County Stone, LLC</b>								
5 North David Hightower Road <span style="float: right;"><u>Ag Lime (White)</u></span>								
Elkton, KY 42220	6/1/2021	6/17/2021	95.7	93.1	75.3	34.4	2.9	<b>80.6</b>
License ID: 39737	Sample Number: LM-21-067							
<b>Todd County Stone, LLC</b>								
5 North David Hightower Road <span style="float: right;"><u>Ag Lime (Blue)</u></span>								
Elkton, KY 42220	6/1/2021	6/17/2021	84.6	75.5	29.4	32.5	1.4	<b>44.3</b>
License ID: 39737	Sample Number: LM-21-068							

# Agricultural Limestone Tested

## Spring 2021

Results are based on dry weight of material. Moisture content when sampled has no effect on lab results. If ag lime is wet when applied (>7% moisture), application rate should be increased by 0.5 tons/acre.

County: <b>Trimble</b>	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
<b>Trimble Co Sand &amp; Gravel</b>								
920 Wise Landing Rd								
Bedford, KY 40006								
License ID: 10692	No Data							
County: <b>Warren</b>	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
<b>Martin Marietta Materials</b>								
809 McGinnis Quarry Rd								
<u>Ag Lime</u>								
Bowling Green, KY 42101	3/11/2021	4/12/2021	98.4	90.3	34.5	32.5	3.9	<b>61.4</b>
License ID: 10638	Sample Number: LM-21-013							
<b>Martin Marietta Materials</b>								
2195 Barren River Rd								
<u>Ag Lime</u>								
Bowling Green, KY 42101	3/30/2021	5/7/2021	95.8	97.7	50.1	35.3	3.1	<b>70.8</b>
License ID: 10647	Sample Number: LM-21-024							
County: <b>Wayne</b>	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
<b>Bassett Stone Co</b>								
120 Victory Ave								
Monticello, KY 42633								
License ID: 10653	No Data							



# Agricultural Limestone Tested

## Spring 2021

7/27/2021  
Page 17 of 19

*Results are based on dry weight of material. Moisture content when sampled has no effect on lab results. If ag lime is wet when applied (>7% moisture), application rate should be increased by 0.5 tons/acre.*

County: zOut Of State	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
<b>Farmers Lime Company</b>								
8928 Brundidge Rd South Fulton, TN 38257								
License ID: 10601      No Data								
<b>O-N Minerals Luttrell Company</b>								
486 Clinch Valley Rd Luttrell, TN 37779								
License ID: 10649      No Data								
<b>Jellico Stone Company</b>								
Hwy 25 Jellico, TN 37762								
License ID: 10652      No Data								
<b>E Dillon &amp; CO</b>								
2522 Swords Creek Rd Swords Creek, VA 24649								
License ID: 10661      No Data								
<b>Hanson Aggregates Midwest LLC/Scott Co Quarry</b>								
313 SR 203 Lexington, IN 47138								
License ID: 10684      No Data								
<b>Hanson Aggregates Midwest LLC/Versailles Quarry</b>								
606 W Co Rd 300 South Versailles, IN 47042								
License ID: 10687      No Data								
<b>Tennessee Valley Resources, INC</b>								
1889 Flat Gap Rd Jefferson City, TN 37760								
License ID: 10704      no sample collected								
<b>Kelly Limestone</b>								
701 E La Harpe Suite B Kirksville, MO 63501								
License ID: 23644      No Data								

# Agricultural Limestone Tested

## Spring 2021

7/27/2021  
Page 18 of 19

*Results are based on dry weight of material. Moisture content when sampled has no effect on lab results. If ag lime is wet when applied (>7% moisture), application rate should be increased by 0.5 tons/acre.*

### **The Andersons INC**

1947 Briarfield Rd  
Maumee, OH 43537

**License ID:** 23795            No Data

### **Oldcastle Lawn and Garden**

Hwy A 58 W  
Castlewood, VA 24224

**License ID:** 25097            No Data

### **Austinville Limestone Inc**

223 Newtown Church Rd  
Austinville, VA 24312

**License ID:** 26279            No Data

### **Winn Materials, LLC**

800 Barge Point Rd  
Clarksville, TN 37042

**License ID:** 27096            No Data

### **Apac Brickeys Stone**

13588 Brickeys Rd  
Bloomsdale, MO 63627

**License ID:** 31370            No Data

### **Calcium Products**

50602 330th Street  
Gilmore City, IA 50541

**License ID:** 34333            No Data

### **Turf Care Supply Corp**

50 Pearl Rd STE 200  
Brunswick, OH 44212

**License ID:** 35828            No Data

### **Shawnee Stone, LLC**

1275 Jonesboro Quarry Rd  
Anna, IL 62906

**License ID:** 36540            No Data

# Agricultural Limestone Tested

## Spring 2021

7/27/2021  
Page 19 of 19

*Results are based on dry weight of material. Moisture content when sampled has no effect on lab results. If ag lime is wet when applied (>7% moisture), application rate should be increased by 0.5 tons/acre.*

---

Total Companies: 64

Total Tests: 69

Results are from Official samples taken by UK Division of Regulatory Services Inspectors.

### **Resources on Ag Lime:**

ID-163, Agricultural Lime Recommendations Based on Lime Quality:

<http://www2.ca.uky.edu/agcomm/pubs/id/id163.pdf>

Economic Lime Calculators: <http://soils.rs.uky.edu/calculators/>

<http://soils.rs.uky.edu/calculators/>

*The above described Ag Lime was sampled and analyzed under contractual agreement with the Kentucky Department of Agriculture pursuant to the Kentucky Ag Lime Law. Questions concerning this report should be sent to: Frank Sikora, Director of Laboratories and Soils Program*