

Agricultural Limestone Tested Spring 2025

4/22/2025
 Page 1 of 19

Results are based on dry weight of material. Moisture content when sampled has no effect on lab results. If ag lime is wet when applied (>7% moisture), application rate should be increased by 0.5 tons/acre.

County: Adair	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
---------------	-----------------	------------------	-------	----------------	----------------	------	------	-------

Gaddie Shamrock LLC/Williams Quarry

Hwy 55 S

Columbia, KY 42728

License ID: 10619 No Data

Burton Stone

897 Fairplay Rd

Columbia, KY 42728

License ID: 14577 No Data

County: Allen	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
---------------	-----------------	------------------	-------	----------------	----------------	------	------	-------

Allen County Stone

2438 Old State Rd E

Scottsville, KY 42164

License ID: 10702

Ag Lime

3/3/2025	4/15/2025	91.6	98.2	42.1	35.8	1.2	64.3
Sample Number: LM-25-003							

County: Anderson	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
------------------	-----------------	------------------	-------	----------------	----------------	------	------	-------

Heidelberg Materials/Tyrone-Lawrenceburg Quarry

1645 Tyrone Rd

Lawrenceburg, KY 40342

License ID: 10685 No Data

County: Ballard	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
-----------------	-----------------	------------------	-------	----------------	----------------	------	------	-------

Bandana Ag, Inc.

100 Needmore Rd

La Center, KY 42056

License ID: 10643 No Data

Sullivan Lime & Backhoe Service, LLC

498 W. Kentucky Drive

La Center, KY 42056

License ID: 10675 No Data

Spring 2025

Page 2 of 19

Results are based on dry weight of material. Moisture content when sampled has no effect on lab results. If ag lime is wet when applied (>7% moisture), application rate should be increased by 0.5 tons/acre.

County: Barren	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
Glass Aggregates								
791 Love Knob Rd								
Glasgow, KY 42141								
License ID: 10700	No Data							
Scotty's Contracting and Stone								
1140 Flint Knob Rd								
Cave City, KY 42127								
License ID: 10701	No Data							
Park City Stone, LLC								
454 State Quarry Rd								
Cave City, KY 42127								
License ID: 35078	3/19/2025	4/22/2025	98.4	99.9	38.8	38.8	1.3	68.2
Sample Number: LM-25-015								
Park City Stone, LLC								
454 State Quarry Rd								
Cave City, KY 42127								
License ID: 35078	3/19/2025	4/22/2025	97.9	100.0	77.8	37.4	1.6	87.0
Sample Number: LM-25-014								
County: Bourbon	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
Bourbon Limestone								
2470 Fords Mill Rd								
Paris, KY 40361								
License ID: 10620	No Data							
County: Boyle	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
Caldwell Stone Co, Inc								
1648 Stanford Rd								
Danville, KY 40422								
License ID: 10627	No Data							

Spring 2025

Page 3 of 19

Results are based on dry weight of material. Moisture content when sampled has no effect on lab results. If ag lime is wet when applied (>7% moisture), application rate should be increased by 0.5 tons/acre.

County: Breckinridge	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
White Stone Company 2281 Hwy 992 Hardinsburg, KY 40143 License ID: 10614 No Data								
Liters Quarry Hwy 477 Irvington, KY 40146 License ID: 10680 No Data								
County: Bullitt	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
Quality Stone & Ready Mix, Inc 3260 N Preston Hwy Shepherdsville, KY 40165 License ID: 10596 No Data								
County: Butler	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
Martin Marietta 2615 Bowling Green Rd Morgantown, KY 42261 License ID: 10646 No Data								
RB Paving and Construction LLC 683 W Basham Rd Morgantown, KY 42261 License ID: 24232 No Data								
County: Caldwell	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
Rogers Group Quarry 10234 Hopkinsville Rd Princeton, KY 42445 License ID: 10683 No Data								
Holcim Fredonia Quarry 297 Fredonia Quarry Rd Fredonia, KY 42411 License ID: 10703 No Data								

Agricultural Limestone Tested

Spring 2025

4/22/2025

Page 4 of 19

Results are based on dry weight of material. Moisture content when sampled has no effect on lab results. If ag lime is wet when applied (>7% moisture), application rate should be increased by 0.5 tons/acre.

County: Calloway

Date
Sampled

Date
Reported

CCE %

Sieve
#10 %

Sieve
#50 %

Ca %

Mg %

RNV %

Furches Farms

3182 SR 94 W

Murray, KY 42071

License ID: 09708

No Data

County: Carroll

Date
Sampled

Date
Reported

CCE %

Sieve
#10 %

Sieve
#50 %

Ca %

Mg %

RNV %

Phoenix Services Waylite Group

6870 Hwy 42 E

Ghent, KY 41045

License ID: 14407

No Data

County: Carter

Date
Sampled

Date
Reported

CCE %

Sieve
#10 %

Sieve
#50 %

Ca %

Mg %

RNV %

Heidelberg Materials/AA Limestone

14011 State Hwy 9

Grayson, KY 41143

License ID: 10705

No Data

Buffalo Valley Resources

10694 State Route 2

Olive Hill, KY 41164

License ID: 99992

No Data

County: Casey

Date
Sampled

Date
Reported

CCE %

Sieve
#10 %

Sieve
#50 %

Ca %

Mg %

RNV %

Casey Stone Company

15519 East KY 70

Bethelridge, KY 42516

License ID: 10654

No Data

Agricultural Limestone Tested

Spring 2025

4/22/2025

Page 5 of 19

Results are based on dry weight of material. Moisture content when sampled has no effect on lab results. If ag lime is wet when applied (>7% moisture), application rate should be increased by 0.5 tons/acre.

County: Christian	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
-------------------	--------------	---------------	-------	-------------	-------------	------	------	-------

Rogers Group

355 Harry Berry Rd; US 41A

Hopkinsville, KY 42240

License ID: 10611 No Data

Apex Materials, LLC

20215 N Greenville Rd

White Plains, KY 42464

License ID: 19875 No Data

County: Clinton	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
-----------------	--------------	---------------	-------	-------------	-------------	------	------	-------

Gaddie Shamrock LLC/Caldwell Quarry

Hwy 1590

Albany, KY 42602

License ID: 10648 No Data

Albany Farms LLC/dba Albany Quarry

292 Maple Mountain Rd

Albany, KY 42602

License ID: 31513 No Data

County: Crittenden	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
--------------------	--------------	---------------	-------	-------------	-------------	------	------	-------

Rogers Group Marion Quarry

1921 SR 1668

Marion, KY 42064

License ID: 32536 No Data

Agricultural Limestone Tested

Spring 2025

4/22/2025

Page 6 of 19

Results are based on dry weight of material. Moisture content when sampled has no effect on lab results. If ag lime is wet when applied (>7% moisture), application rate should be increased by 0.5 tons/acre.

County: Daviess	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
Castlen Steel 4565 Hwy 2830 Owensboro, KY 42303 License ID: 09737	No Data							
Yager Materials LLC/Owensboro 5001 Hwy 2830 Owensboro, KY 42303 License ID: 10699	No Data							
Martin Marietta - Owensboro Yard 6810 US Hwy 431 Owensboro, KY 42301 License ID: 99994	No Data							

County: Estill	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
Tipton Ridge Quarry SR 1 KY 52 Ravenna, KY 40472 License ID: 10657	No Data							

County: Fleming	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
Heidelberg Materials KY Hwy 11 (100 Quarry Rd) Flemingsburg, KY 41041 License ID: 10679	No Data							

County: Fulton	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
Southern FS 345 ST RT 166 W Hickman, KY 42050 License ID: 17402	No Data							
Riverfront Limestone LLC 360 SR 1354 Hickman, KY 42050 License ID: 27155	No Data							

Agricultural Limestone Tested

Spring 2025

4/22/2025

Page 7 of 19

Results are based on dry weight of material. Moisture content when sampled has no effect on lab results. If ag lime is wet when applied (>7% moisture), application rate should be increased by 0.5 tons/acre.

County: Gallatin	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
------------------	--------------	---------------	-------	-------------	-------------	------	------	-------

Sterling Materials

100 Sierra Drive

Verona, KY 41092

License ID: 10674

Ag Lime

3/12/2025

4/15/2025

97.9

69.0

17.2

38.3

1.4

42.2

Sample Number: LM-25-006

County: Garrard	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
-----------------	--------------	---------------	-------	-------------	-------------	------	------	-------

Dix River Stone Co

4963 Danville Rd

Lancaster, KY 40444

License ID: 10622

No Data

County: Grayson	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
-----------------	--------------	---------------	-------	-------------	-------------	------	------	-------

Scotty's Contracting and Stone

450 Quarry Rd

Leitchfield, KY 42754

License ID: 10660

No Data

Caneyville Crushed Stone

1831 Falls of Rough Rd

Caneyville, KY 42721

License ID: 36943

No Data

County: Green	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
---------------	--------------	---------------	-------	-------------	-------------	------	------	-------

Haydon Materials, LLC

2410 Columbia Hwy

Greensburg, KY 42743

License ID: 10632

No Data

County: Hancock	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
-----------------	--------------	---------------	-------	-------------	-------------	------	------	-------

Hancock County Ready Mixed Concrete

5330 River Rd

Hawesville, KY 42348

License ID: 10610

No Data

Agricultural Limestone Tested

Spring 2025

4/22/2025

Page 8 of 19

Results are based on dry weight of material. Moisture content when sampled has no effect on lab results. If ag lime is wet when applied (>7% moisture), application rate should be increased by 0.5 tons/acre.

County: Hardin	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
Heidelberg Materials/Upton Quarry 607 Quarry Rd Upton(Hardin), KY 42784 License ID: 10686 No Data								
Vulcan Materials Co 7015 Leitchfield Rd Cecilia, KY 42724 License ID: 10696 No Data								
Mink Bros Quarry LLC 11889 Leitchfield Rd Cecilia, KY 42724 License ID: 31062 No Data								
Scotty's Contracting and Stone 3355 Hill St Vine Grove, KY 40175 License ID: 38301 No Data								
SRM Materials 324 Watkins Alvey Rd Upton, KY License ID: 99990 No Data								
County: Harlan	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
Bluegrass Materials Co, LLC/Harlan 5075 N US Hwy 421 Bledsoe, KY 40810 License ID: 10602 No Data								

County: Hart	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
--------------	--------------	---------------	-------	-------------	-------------	------	------	-------

Hart County Stone Company
1594 E Main St Hwy 218
Horse Cave, KY 42749
License ID: 10664 No Data

Agricultural Limestone Tested

Spring 2025

4/22/2025

Page 9 of 19

Results are based on dry weight of material. Moisture content when sampled has no effect on lab results. If ag lime is wet when applied (>7% moisture), application rate should be increased by 0.5 tons/acre.

County: Henderson	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
Henderson Materials								
2351 Old Geneva Rd			Ag Lime					
Henderson, KY 42420	3/25/2025	4/22/2025	95.9	98.3	37.3	36.5	1.5	65.0
License ID: 10598	Sample Number: LM-25-016							
County: Henry	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
Liters INC/Lockport Plant								
1058 River Rd			Ag Lime					
Lockport, KY 40036	3/12/2025	4/15/2025	92.1	92.2	39.5	36.7	1.2	60.6
License ID: 10642	Sample Number: LM-25-005							
County: Hickman	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
Nutrien Ag Clinton								
245 Gin Rd								
Clinton, KY 42031								
License ID: 10617	No Data							
County: Hopkins	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
Scotty's Contracting and Stone								
3444 Hubert Reid Dr								
Madisonville, KY 42431								
License ID: 38936	No Data							
County: Jackson	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
Clover Bottom Quarry								
12146 Hwy 421 N								
McKee, KY 40447								
License ID: 10668	No Data							
County: Jefferson	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
Rogers Group Inc								
13400 Old Henry Rd			Ag Lime Dust					
Louisville, KY 40223	3/18/2025	4/22/2025	96.3	75.6	24.5	36.7	1.2	48.2
License ID: 00812	Sample Number: LM-25-012							

Agricultural Limestone Tested

Spring 2025

4/22/2025

Page 10 of 19

Results are based on dry weight of material. Moisture content when sampled has no effect on lab results. If ag lime is wet when applied (>7% moisture), application rate should be increased by 0.5 tons/acre.

County: Jessamine	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
-------------------	--------------	---------------	-------	-------------	-------------	------	------	-------

Lexington Quarry Co

2200 Catnip Hill Rd
Nicholasville, KY 40356

License ID: 10629 No Data

County: Letcher	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
-----------------	--------------	---------------	-------	-------------	-------------	------	------	-------

Bluegrass Materials Co, LLC/Letcher

21042 Hwy 160
Gordon, KY 41819

License ID: 10603 No Data

County: Livingston	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
--------------------	--------------	---------------	-------	-------------	-------------	------	------	-------

Lafarge Three Rivers Quarry

830 Three Rivers Quarry Rd
Smithland, KY 42081

License ID: 10639 No Data

Pine Bluff Sand & Gravel Company

780 Spencer Rd
Salem, KY 42078

License ID: 28803 No Data

Winn Materials/Grand Rivers Quarry

877 Dover Rd
Grand Rivers, KY 42045

License ID: 33113 No Data

County: Logan	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
---------------	--------------	---------------	-------	-------------	-------------	------	------	-------

Heidelberg Materials/Russellville Quarry

1136 Morgantown Rd
Russellville, KY 42276

Ag Lime

3/6/2025	4/15/2025	97.0	89.4	30.9	35.9	2.1	58.4
----------	-----------	------	------	------	------	-----	------

License ID: 10630 Sample Number: LM-25-001

Agricultural Limestone Tested

Spring 2025

4/22/2025

Page 11 of 19

Results are based on dry weight of material. Moisture content when sampled has no effect on lab results. If ag lime is wet when applied (>7% moisture), application rate should be increased by 0.5 tons/acre.

County: Madison	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
-----------------	--------------	---------------	-------	-------------	-------------	------	------	-------

The Allen Company Inc/Boonesboro

2591 Old Boonesboro Rd

Richmond, KY 40475

License ID: 10624 No Data

County: Marion	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
----------------	--------------	---------------	-------	-------------	-------------	------	------	-------

Haydon Materials, LLC

1270 Hwy 208

Lebanon, KY 40033

License ID: 10644 No Data

County: Marshall	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
------------------	--------------	---------------	-------	-------------	-------------	------	------	-------

Calvert City Quarry

5229 Industrial Parkway

Calvert City, KY 42029

License ID: 39151 No Data

County: Mason	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
---------------	--------------	---------------	-------	-------------	-------------	------	------	-------

Eaton Asphalt Paving Co

9222 Springdale Dr

Maysville, KY 41056

License ID: 26738 No Data

Spring 2025

Page 12 of 19

Results are based on dry weight of material. Moisture content when sampled has no effect on lab results. If ag lime is wet when applied (>7% moisture), application rate should be increased by 0.5 tons/acre.

County: Meade	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
Riverside Stone Co 4800 Cedar Flat Rd Battletown, KY 40104 License ID: 10612 No Data								
Battletown Materials - Big Bend Quarry 1994 Paradise Bottom Rd Battletown, KY 40104 License ID: 28141 No Data								
Double T Mineral Sales Ltd, LLC 1141 High St Ste 5 Brandenburg, KY 40108 License ID: 34786 No Data								
Battletown Materials - Rock Quarry Road 9160 Rock Quarry Rd Battletown, KY 40104 License ID: 38468 No Data								
County: Menifee	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
Walker Construction and Materials/Menifee 1180 Indian Creek Rd Frenchburg, KY 40322 License ID: 10690 No Data								
County: Mercer	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
Mercer Stone Co 1050 Burgin Rd Harrodsburg, KY 40330 License ID: 10628 No Data								
County: Monroe	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
Monroe County Stone 490 Rock Crusher Rd Tompkinsville, KY 42167 License ID: 10625 No Data								

Spring 2025

Page 13 of 19

Results are based on dry weight of material. Moisture content when sampled has no effect on lab results. If ag lime is wet when applied (>7% moisture), application rate should be increased by 0.5 tons/acre.

County: Montgomery	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
Walker Construction and Material/LLC Montgomery Stone 7324 Donaldson Rd Mt Sterling, KY 40353 License ID: 10650 No Data								
County: Morgan	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
Cave Run Stone 10215 Ky 519 West Liberty, KY 41472 License ID: 10672 No Data								
County: Muhlenberg	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
Scotty's Greenville Quarry 9170 St. Rt 171 South Greenville, KY 42345 License ID: 10637 <u>Ag Lime</u> 3/18/2025 4/22/2025 88.9 99.7 39.6 35.2 0.8 61.9 Sample Number: LM-25-009								
County: Nelson	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
Haydon Materials Bardstown LLC 625 Airport Road Bardstown, KY 40004 License ID: 10599 <u>Ag Lime</u> 3/18/2025 4/22/2025 99.5 100.0 97.1 20.8 11.7 98.1 Sample Number: LM-25-008								
Haydon Materials Bardstown LLC 625 Airport Road Bardstown, KY 40004 License ID: 10599 <u>Ag Lime</u> 3/18/2025 4/22/2025 96.6 95.4 41.2 20.1 11.5 66.0 Sample Number: LM-25-007								
County: Ohio	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
Martin Marietta Materials 9352 SR 69 E Hartford, KY 42347 License ID: 10600 No Data								

Spring 2025

Page 14 of 19

Results are based on dry weight of material. Moisture content when sampled has no effect on lab results. If ag lime is wet when applied (>7% moisture), application rate should be increased by 0.5 tons/acre.

County: Oldham	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
Oldham County Stone 7700 W Hwy 329 Crestwood, KY 40014 License ID: 10618	3/18/2025	4/22/2025	101.5	72.4	29.0	23.5	9.9	51.4
Ag Lime Sample Number: LM-25-013								
County: Pendleton	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
Hilltop Stone LLC 1405 Hwy 177 E Butler, KY 41006 License ID: 10645	No Data							
County: Powell	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
Natural Bridge Stone KY 15 Stanton, KY 40380 License ID: 10656	No Data							
County: Pulaski	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
Somerset Stone Company KY 80 Bypass Somerset, KY 42502 License ID: 10655	No Data							
Heidelberg Materials/Laurel Quarry 13670 E. Hwy 80 Somerset, KY 42501 License ID: 10689	No Data							
Lake Cumberland Stone US 27 S Burnside, KY 42519 License ID: 10706	No Data							
Pulaski Stone 100 James Rd Somerset, KY 42501 License ID: 28088	No Data							

Spring 2025

Page 15 of 19

Results are based on dry weight of material. Moisture content when sampled has no effect on lab results. If ag lime is wet when applied (>7% moisture), application rate should be increased by 0.5 tons/acre.

County: Robertson	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
Blue Licks Quarry 314 Blue Licks Quarry Ewing, KY 41039 License ID: 99991 No Data								
County: Rockcastle	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
Heidelberg Materials/Mt Vernon Quarry Hwy 150 Mt Vernon, KY 40456 License ID: 10682 No Data								
ATS Construction DBA LM Asphalt Partners LTD 3740 Lake Cumberland Rd Mt Vernon, KY 40456 License ID: 33493 No Data								
County: Scott	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
Nally & Gibson Georgetown LLC 1267 E. Main Street Georgetown, KY 40324 License ID: 10626 No Data								
County: Simpson	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
Heidelberg Materials/Franklin-Woodburn Quarry 211 Old Nashville Rd S <u>Ag Lime</u> Woodburn, KY 42170 3/11/2025 4/15/2025 95.4 90.1 39.8 34.4 3.3 62.0 License ID: 10688 Sample Number: LM-25-002								
Charles Deweese Construction Quarry 863 Gold City Rd Franklin, KY 42134 License ID: 36455 No Data								

Agricultural Limestone Tested

Spring 2025

4/22/2025

Page 16 of 19

Results are based on dry weight of material. Moisture content when sampled has no effect on lab results. If ag lime is wet when applied (>7% moisture), application rate should be increased by 0.5 tons/acre.

County: Todd	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
--------------	--------------	---------------	-------	-------------	-------------	------	------	-------

Todd County Stone

5 North David Hightower Road

Ag Lime

Elkton, KY 42220

3/6/2025

4/15/2025

90.5

94.0

34.0

35.0

1.1

57.9

License ID: 39737

Sample Number: LM-25-004

Heidelberg Materials/Elkton quarry

4240 West Jeff Davis Highway

Elkton, KY 42220

License ID: 99995

No Data

County: Trimble	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
-----------------	--------------	---------------	-------	-------------	-------------	------	------	-------

Trimble Co Sand & Gravel

920 Wise Landing Rd

Bedford, KY 40006

License ID: 10692

No Data

County: Warren	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
----------------	--------------	---------------	-------	-------------	-------------	------	------	-------

Martin Marietta Materials - BG North

809 McGinnis Quarry Rd

Ag Lime

Bowling Green, KY 42101

3/17/2025

4/22/2025

97.1

81.9

31.7

35.3

3.0

55.1

License ID: 10638

Sample Number: LM-25-010

Martin Marietta Materials - BG South

2195 Barren River Rd

Ag Lime

Bowling Green, KY 42101

3/17/2025

4/22/2025

98.8

97.0

40.0

36.3

2.5

67.7

License ID: 10647

Sample Number: LM-25-011

County: Wayne	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
---------------	--------------	---------------	-------	-------------	-------------	------	------	-------

Bassett Stone Co

120 Victory Ave

Monticello, KY 42633

License ID: 10653

No Data

Spring 2025

Page 17 of 19

Results are based on dry weight of material. Moisture content when sampled has no effect on lab results. If ag lime is wet when applied (>7% moisture), application rate should be increased by 0.5 tons/acre.

County:	zOut Of State	Date Sampled	Date Reported	CCE %	Sieve #10 %	Sieve #50 %	Ca %	Mg %	RNV %
Farmers Lime Company 8928 Brundidge Rd South Fulton, TN 38257 License ID: 10601 No Data									
O-N Minerals Luttrell Company 486 Clinch Valley Rd Luttrell, TN 37779 License ID: 10649 No Data									
Jellico Stone Company Hwy 25 Jellico, TN 37762 License ID: 10652 No Data									
E Dillon & CO 2522 Swords Creek Rd Swords Creek, VA 24649 License ID: 10661 No Data									
Hanson Aggregates Midwest LLC/Scott Co Quarry 313 SR 203 Lexington, IN 47138 License ID: 10684 No Data									
Hanson Aggregates Midwest LLC/Versailles Quarry 606 W Co Rd 300 South Versailles, IN 47042 License ID: 10687 No Data									
Tennessee Valley Resources, INC 1889 Flat Gap Rd Jefferson City, TN 37760 License ID: 10704 No Data									
The Andersons INC 1947 Briarfield Rd Maumee, OH 43537 License ID: 23795 No Data									

Agricultural Limestone Tested

Spring 2025

4/22/2025
Page 18 of 19

Results are based on dry weight of material. Moisture content when sampled has no effect on lab results. If ag lime is wet when applied (>7% moisture), application rate should be increased by 0.5 tons/acre.

Oldcastle Lawn and Garden

Hwy A 58 W

Castlewood, VA 24224

License ID: 25097 No Data

Austinville Limestone Inc

223 Newtown Church Rd

Austinville, VA 24312

License ID: 26279 No Data

Winn Materials, LLC

800 Barge Point Rd

Clarksville, TN 37042

License ID: 27096 No Data

Apac Brickeys Stone

13588 Brickeys Rd

Bloomsdale, MO 63627

License ID: 31370 No Data

Calcium Products

50602 330th Street

Gilmore City, IA 50541

License ID: 34333 No Data

Shawnee Stone, LLC

1275 Jonesboro Quarry Rd

Anna, IL 62906

License ID: 36540 No Data

Holcim Cement Plant

2500 Portland Rd

Grand Chain, IL 62941

License ID: 99993 No Data

Agricultural Limestone Tested

Spring 2025

4/22/2025
Page 19 of 19

Results are based on dry weight of material. Moisture content when sampled has no effect on lab results. If ag lime is wet when applied (>7% moisture), application rate should be increased by 0.5 tons/acre.

Total Companies: 14

Total Tests: 16

Results are from Official samples taken by UK Division of Regulatory Services Inspectors.

Resources on Ag Lime:

ID-163, Agricultural Lime Recommendations Based on Lime Quality:

<http://www2.ca.uky.edu/agcomm/pubs/id/id163/id163.pdf>

Economic Lime Calculators: www.rs.uky.edu/soil/cal.php

The above described Ag Lime was sampled and analyzed under contractual agreement with the Kentucky Department of Agriculture pursuant to the Kentucky Ag Lime Law. Questions concerning this report should be sent to: Frank Sikora, Director of Laboratories and Soils Program